



**Why so many solvents?**

Solvents are simply essential for many products to perform effectively. Every day, people benefit from the diverse range of available solvents and their unique properties.

Importantly, solvents are well regulated within the existing framework of legislation and industry is firmly committed to their sustainable use and the safety and health of downstream users.

Solvents dissolve other substances. Sugar dissolves in coffee because water is a solvent. Water is easily available and simple to handle, so why are there so many industrially important solvents?

The easy answer is that not everything dissolves in water. However, the choice of solvent is based not only on whether something dissolves or not (solvency), but also on evaporation rate, boiling point, viscosity, surface tension and many other factors that affect the thousands of industrial processes that need solvents.

With so many properties to consider and different materials to be dissolved, we can see that we need access to a wide range of solvents.

In many manufacturing processes the demands are complex because the properties required may change as the process is carried out. For example, to achieve a surface with a good gloss finish, it may be necessary initially for the solvent to evaporate quickly

but at a later stage evaporate much slower. This and many other tailored performances can be achieved by blending together different solvents from the solvents family tree.

**The Oxygenated and Hydrocarbon Solvents Family Tree**

The chemical classification of solvents is based on their chemical structure. Hydrocarbon solvents are molecules containing only hydrogen and carbon atoms. Oxygenated solvents contain hydrogen, carbon and oxygen atoms<sup>1</sup>.

Most solvents are manufactured from petroleum (oil). The manufacturing process is highly integrated into the operation of an oil refinery or in a petrochemical manufacturing site. Up to 10% of solvents are manufactured using other raw materials (natural gas, coal or biomass).

Most hydrocarbon solvents are separated in the refinery by distillation and then further treated and purified. Some are synthesised from olefins. Hydrocarbon solvents are classified into three sub-groups based on the type of "carbon skeleton" of their molecules, giving us the aliphatic, aromatic and paraffinic solvents families.

Oxygenated solvents are produced through chemical reactions from olefins (derived from oil or natural gas), giving us the following sub-groups: alcohols, ketones, esters, ethers, glycol ethers and glycol ether esters.

This leaflet gives only a few examples of how solvents can be used to benefit consumers; in reality, there are thousands of other applications.

Introduction

**1. Family: Alcohols**

Ethanol is used by perfume manufacturers as their solvent of choice because of its low odour. The low boiling point of ethanol means that the solvent evaporates quickly and does not remain on the skin.



**2. Family: Alcohols**

Isopropyl alcohol is used as a windscreen de-icing and cleaning solvent because it stays in liquid form well below freezing point and therefore helps to remove the ice. It removes stains that appear on the windscreen and is also used in the home in window cleaning products.



**3. Family: Ketones**

Ketones such as acetone, MEK (Methyl ethyl ketone) and MIBK (Methyl isobutyl ketone) are used in carbon fibre composites to make skis. The carbon fibres are layered with epoxy resins and the ketone's high solvency power softens the resin to apply it easily and evenly between the layers. The solvent's low boiling point allows it to evaporate quickly to enable the layers to bind easily and form a strong, durable product.



Oxygenated solvents

**4. Family: Esters**



Ethyl acetate is used in nail polish and is especially valued for its fruity odour and fast-drying properties. It is also used in nail polish removal fluids and its high solvency power means that the polish can be removed easily from the nail.

**5. Family: Esters**



Butyl acetate is used to purify penicillin by keeping impurities in solution whilst the penicillin is selectively removed from the reaction mixture by extraction. Further purification of the penicillin is achieved through the method of crystallization.

**6. Family: Glycol ethers**

Glycol ethers are highly effective as an active component of heavy-duty glass, floor and other hard surface cleaning formulations. These solvents have good water compatibility, high solvency for greases and oils and good biodegradability.



**7. Family: Glycol ether esters**

Glycol ether esters are added to spray paints to prevent them from drying before they hit their target. The slow evaporation of this powerful group of solvents means that cars, for example, can be re-painted effectively.



Oxygenated solvents

**8. Family: Aliphatic hydrocarbons**

Aliphatic hydrocarbons (typically dearomatized hydrocarbons) are used in the preservation of timber. The high water resistance and low surface tension of the solvent enables it to penetrate the wood.



**9. Family: Aliphatic hydrocarbons**

Commercial hexanes are used to extract natural oil from seeds due to its optimum solvency power (like dissolves like). Hexane is a light solvent that is easily removed from the edible oil and is also recycled during the process.



**10. Family: Aliphatic hydrocarbons**

High boiling point hydrocarbon solvents are used in the aluminium rolling process to make aluminium foil. Acting as a lubricant, the solvent protects the metal from oxidation, helps eliminate metal dusts/chips and dissipates the heat from the process.



**11. Family: Aromatic hydrocarbons**

Toluene is used as the ink solvent in a specialised type of magazine printing, "publication rotogravure", because it evaporates quickly enough to prevent smudging and is easily recycled. The process of rotogravure is capable of producing printed material of the highest quality.

Hydrocarbon solvents

**12. Family: Paraffins**

Pentanes are used to make plastic foams for insulation purposes in household goods such as refrigerators and freezers. The low boiling point of pentanes is the important property. Pentane is mixed into liquid plastic, which is then heated with steam; the pentane vapourises inside the plastic and expands to form a honeycomb-like plastic foam. The low thermal conductivity of the foam helps it to act as a highly effective insulator.



**13. Family: Paraffins**

Isoparaffins are used to dry-clean clothes. These solvents are valued for their low odour, favourable health and environmental profile, safe handling characteristics and excellent cleaning efficiency.

**14. Family: Aliphatic hydrocarbons**

Dearomatized aliphatic hydrocarbons with specific boiling point ranges are used in the production of tyres. The solvent softens and cleans each rubber layer before the next one is applied and its adhesive qualities help to bind together the various components of the tyre for increased safety and improved performance.



**15. Family: Aliphatic hydrocarbons**

Low volatility dearomatized aliphatic hydrocarbons are used in the oilfield as base fluids in drilling mud formulations for lubricating the drilling process in oil wells. The solvents have excellent lubricating properties, are inert towards most type of rock formations, and have low toxicity and high biodegradability.



**16. Family: Aliphatic hydrocarbons**

Aliphatic hydrocarbons are used to extract metals such as copper, nickel, cobalt and zinc from ore. They provide excellent solubility and allow a rapid reaction of the metal to remove it from the ore, then a quick separation of the solvent-metal mix.



Hydrocarbon solvents

<sup>1</sup> The group of chlorinated solvents manufactured by reacting hydrocarbons with chlorine are not discussed in this document. For information on chlorinated solvents, contact the European Chlorinated Solvents Association at [www.eurochlor.org](http://www.eurochlor.org) or the Halogenated Solvents Industry Alliance (HSIA) at [www.hsia.org](http://www.hsia.org).

# The Solvents Family



The Solvents Family is the result of cooperation between the European Solvents Industry Group (ESIG) and the American Chemistry Council (ACC).

For further information on solvents in Europe, please visit [www.esig.org](http://www.esig.org) or contact:  
 Dorothee Arns  
 ESIG Secretary General  
 European Solvents Industry Group  
 Cefic,  
 Avenue E. van Nieuwenhuysse 4, bte 2,  
 B-1160 Brussels  
 Phone: +32 (0)2 676 73 74  
 Fax: +32 (0)2 676 72 16  
 Email: [dar@cefic.be](mailto:dar@cefic.be)

For further information on solvents in America, please visit [www.solventsindustrygroup.org](http://www.solventsindustrygroup.org) or contact:  
 Barbara J. Francis  
 Managing Director  
 American Chemistry Council  
 1300 Wilson Blvd  
 Arlington, VA 22209  
 Tel: +1 703-741-5000  
 E-mail: [Barbara\\_Francis@americanchemistry.com](mailto:Barbara_Francis@americanchemistry.com)

